




ELSEVIER

Dyes and Pigments 51 (2001) 1–II



www.elsevier.com/locate/foodres

Contents of Volume 51

Number 1

- 1 Synthesis and photophysical properties of polymerizable 1,8-naphthalimide dyes and their copolymers with styrene
I. GRABCHEV, V. BOJINOV & C. PETKOV (Bulgaria)
- 9 Photophysical and photochemical events during the photosensitization of Hypocrellin A on a colloidal CdS semiconductor
Z. ZHOU, Z. SUN, X. ZHANG & Z. ZHANG (People's Republic of China)
- 15 Synthesis and properties of new liquid crystalline compounds containing an indolinobenzospiropyranylazo group. Part 3
M.-J. LEE, B.-W. YOO, S.-T. SHIN & S.-R. KEUM (South Korea)
- 25 Kinetics and mechanism of removal of methylene blue by adsorption on various carbons—a comparative study
N. KANNAN & M.M. SUNDARAM (India)
- 41 Proteins and cyanine dyes. Part III. Synthesis and spectroscopic studies of benzothiazolo-4-[1,2,6-trimethylpyridinium] monomethine cyanine dyes for fluorescent detection of bovine serum albumin in solutions
S.M. YARMOLUK, D.V. KRYVOROTENKO, A. BALANDA, M.YU. LOSYTSKYI & V.B. KOVALSKA (Ukraine)
- 51 Absorption and fluorescence spectral properties of tetra (fluoroalkoxy) metallophthalocyanines
L. GAO & X. QIAN (China)
- 57 A new method for synthesis of 4-allyloxy-1,8-naphthalimide derivatives for use as fluorescent brighteners
V. BOJINOV & I. GRABCHEV (Bulgaria)

Numbers 2–3

- 63 Active oxygen generation and photo-oxygenation involving temporfin (*m*-THPC)
Y. CHEN, S. XU, L. LI, M. ZHANG, J. SHEN & T. SHEN (China)
- 71 Intramolecular H-bonding in the bay region of hypericin: an AM1 study
D.-P. WANG, D.-X. KONG, D.-Z. CHEN & H.-Y. ZHANG (PR China)
- 79 Photostability of pyromethene 567 laser dye solutions via photoluminescence measurements
M.S. MACKEY & W.N. SISK (USA)
- 87 A study of the formation and embedding of perylene nanocrystals
X. JI, Y. MA, Y. CAO, X. ZHANG, R. XIE, H. FU, D. XIAO & J. YAO (PR China)
- 93 The effect of solvent on the optical properties of cyanine dye films
J.-P. ZHANG, S.-Y. ZHOU, P. CHEN (PR China), O. TSUNEKI & H. MASAOKI (Japan)
- 103 An approach to enhancing the phototoxicity of a novel hypocrellin congener to MGC803 cells
H.-Y. YANG, W.-G. ZHANG, L.-P. MA, S.-W. WANG & Z.-Y. ZHANG (China)

- 111 Screening of commercial sorbents for the removal of reactive dyes
S. KARCHER, A. KORNMÜLLER & M. JEKEL (Germany)
- 127 Synthesis and fluorescence properties of triad compounds with aromatic sulfur bridges
Y. WANG (China), C.-P. CHANG (Taiwan), Y. WU & H. TIAN (China)
- 137 Photosensitization of a colloidal TiO₂ semiconductor system with hypocrellin B
Z.-X. ZHOU, S.-P. QIAN, S.-D. YAO & Z.-Y. ZHANG (PR China)
- 145 The dyeing of cotton with hetero bi-functional reactive dyes containing both a monochlorotriazinyl and a chloro-acetylamino reactive group
J.A. TAYLOR, K. PASHA & D.A.S. PHILLIPS (UK)

Short communications

- 153 Synthesis of coumarin dyes containing *N*-alkylsulfonamide groups
X. LUO, X. NAIYUN, L. CHENG & D. HUANG (PR China)
- 161 Synthesis of novel dyes containing ferrocene
Z. WANG, H. TIAN & K. CHEN (People's Republic of China)

